PORTAL
USPTO

Search: ● The ACM Digital Library   ○ The Guide

THE ACM DIGITAL LIBRARY   Feedback

wavelet encoding   Found
Terms used: **503** of
wavelet encoding 254,065

Sort results by   `relevance`

Display results   `expanded form`

Save results to a Binder

☐ Open results in a new window

Refine these results with Advanced Search

Try this search in The ACM Guide

Results 1 - 20 of 503 Result page: 1   2   3   4   5   6   7   8   9   10   next
>>

1   Wavelet encoding of BRDFs for real-time rendering

Luc Claustres, Loïc Barthe, Mathias Paulin
May 2007 GI '07: Proceedings of Graphics Interface 2007
Publisher: ACM

Full text available: Pdf (6.14 MB)
Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 8,   Downloads (12 Months): 168,   Citation Count: 0

Acquired data often provides the best knowledge of a material's bidirectional reflectance distribution function (BRDF). Its integration into most real-time rendering systems requires both data compression and the implementation of the decompression and ...

Keywords: brdf, real time rendering, wavelet

2 All-frequency shadows using non-linear wavelet lighting approximation

Ren Ng, Ravi Ramamoorthi, Pat Hanrahan
July   SIGGRAPH '03: ACM SIGGRAPH 2003 Papers
2003
Publisher: ACM

Full text available: Mov (25:3 MIN), Pdf (5.22 MB)

Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 10, Downloads (12 Months): 194, Citation Count: 35

We present a method, based on pre-computed light transport, for real-time rendering of objects under all-frequency, time-varying illumination represented as a high-resolution environment map. Current techniques are limited to small area lights, with ...

Keywords: image-based rendering, non-linear approximation, relighting, shadow algorithms, spherical harmonics, wavelets

3 All-frequency shadows using non-linear wavelet lighting approximation

Ren Ng, Ravi Ramamoorthi, Pat Hanrahan
July   ACM Transactions on Graphics (TOG), Volume 22 Issue 3
2003
Publisher: ACM

Full text available: Mov (25:3 MIN), Pdf (5.22 MB)

Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 10, Downloads (12 Months): 194, Citation Count: 35

We present a method, based on pre-computed light transport, for real-time rendering of objects under all-frequency, time-varying illumination represented as a high-resolution environment map. Current techniques are limited to small area lights, with ...

Keywords: image-based rendering, non-linear approximation, relighting, shadow algorithms, spherical harmonics, wavelets

4 Real-time decompression and visualization of animated volume data

Stefan Guthe, Wolfgang Straßer
October 2001 VIS '01: Proceedings of the conference on Visualization '01
Publisher: IEEE Computer Society

Full text available: Publisher Site , Pdf (1.52 MB)

Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 43, Citation Count: 13

Interactive exploration of animated volume data is required by many application, but the huge amount of computational time and storage space needed for rendering does not allow the visualization of animated volumes by now. In this paper we introduce ...

Keywords: compression for visualization, time critical visualization, volume rendering

5 Multilevel parallelization on the cell/B.E. for a motion JPEG 2000 encoding server

Hidemasa Muta, Munehiro Doi, Hiroki Nakano, Yumi Mori
September 2007   MULTIMEDIA '07: Proceedings of the 15th international conference on Multimedia
Publisher: ACM

Full text available: Pdf (1.29 MB)

Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 188, Citation Count: 0

The Cell Broadband Engine (Cell/B.E.) is a novel multi-core microprocessor designed to provide high-performance processing capabilities for a wide range of applications. In this paper, we describe the world's first JPEG 2000 and Motion JPEG 2000 encoder ...

Keywords: cell broadband engine, motion JPEG 2000, parallelization

6 Wavelet compression of parametrically coherent mesh sequences

Igor Guskov, Andrei Khodakovsky
August 2004   SCA '04: Proceedings of the 2004 ACM SIGGRAPH/Eurographics symposium on Computer animation
Publisher: Eurographics Association

Full text available: Pdf (2.36 MB)

Additional Information: full citation, appendices and supplements, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 45, Citation Count: 9

We introduce an efficient compression method for animated sequences of irregular meshes of the same connectivity. Our approach is to transform the original input meshes with an anisotropic wavelet transform running on top of a progressive mesh hierarchy, ...

7 Image data compression in wavelet transform domain using modified LBG algorithm

Othman Omran Khalifa

September 2003   ISICT '03: Proceedings of the 1st international symposium on Information and communication technologies

Publisher: Trinity College Dublin

Full text available: Pdf (240.11 KB)

Additional Information: full citation, abstract, references

Bibliometrics: Downloads (6 Weeks): 11,   Downloads (12 Months): 132,   Citation Count: 0

The recent growth of data intensive digital audio, image, and video applications, have not only sustained the need for more efficient ways to compress images but have made compression of such signals central to image-storage technology and digital communications. ...

8 A pipelined architecture for partitioned DWT based lossy image compression using FPGA's

Jörg Ritter, Paul Molitor

February 2001   FPGA '01: Proceedings of the 2001 ACM/SIGDA ninth international symposium on Field programmable gate arrays

Publisher: ACM

Full text available: Pdf (163.32 KB)

Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 3,   Downloads (12 Months): 61,   Citation Count: 2

Discrete wavelet transformations (DWT) followed by embedded zerotree encoding is a very efficient technique for image compression \cite{ TenLectures, Shapiro, Spiht}. However, the algorithms proposed in literature assume random access to the whole image. ...

Keywords: FPGA, Xilinx, architecture, embedded zero tree coding, field programmable gate arrays, lossy image compression, pipelining, wavelet transformation

9 Priority coding for video-telephony applications based on visual attention

Nicolas Tsapatsoulis, Konstantinos Rapantzikos, Yannis Avrithis
September   MobiMedia '06: Proceedings of the 2nd international conference on
2006   Mobile multimedia communications
Publisher: ACM

Additional Information: full citation, abstract, references

Bibliometrics: Downloads (6 Weeks): n/a,   Downloads (12 Months): n/a,   Citation Count: 0

In this paper we investigate the utilization of visual saliency maps for ROI-based video coding of video-telephony applications. Visually salient areas indicated in the saliency map are considered as ROIs. These areas are automatically detected using ...

Keywords: perceptual video coding, saliency map, video telephony, visual attention

10 A method for retrieving music data with different bit rates using MPEG-4 TwinVQ audio compression

Michihiro Kobayakawa, Mamoru Hoshi, Kensuke Onishi
November   MULTIMEDIA '05: Proceedings of the 13th annual ACM international
2005   conference on Multimedia
Publisher: ACM

Full text available: Pdf (127.38 KB)   Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 3,   Downloads (12 Months): 50,   Citation Count: 0

The present paper describes a method for indexing a piece of music using the TwinVQ (Transform-domain Weighted Interleave Vector Quantization) audio compression (MPEG-4 audio standard). First, we present a framework for indexing a piece of music based ...

Keywords: MPEG-4, music feature, music retrieval, twinVQ

11 Compressing historical information in sensor networks

Antonios Deligiannakis, Yannis Kotidis, Nick Roussopoulos
June   SIGMOD '04: Proceedings of the 2004 ACM SIGMOD international conference
2004   on Management of data
Publisher: ACM

Full text available: Pdf (172.89 KB)   Additional Information: full citation, abstract, references, cited by

Bibliometrics: Downloads (6 Weeks): 6,   Downloads (12 Months): 113,   Citation Count: 15

We are inevitably moving into a realm where small and inexpensive wireless devices would be seamlessly embedded in the physical world and form a wireless sensor network in order to perform complex monitoring and computational tasks. Such networks pose ...

12 Speech encoding and encryption in VLSI

K. Kalyan Chakravarthy, M. B. Srinivas
January   ASPDAC: Proceedings of the 2003 conference on Asia South Pacific design
2003   automation
Publisher: ACM

Full text available: Pdf (53.92   Additional Information: full citation, abstract, references
KB)

Bibliometrics: Downloads (6 Weeks): 0,   Downloads (12 Months): 25,   Citation Count: 0

In this work, an attempt has been made to design and synthesize speech encoding
and encryption as a system-on-chip. The novelty of this design is that it uses wavelet
decomposition for data compression and perpetual audio masking to keep
quantization ...

13 Sound compression: a rough path approach

Terry J. Lyons, Nadia Sidorova
January   WISICT '05: Proceedings of the 4th international symposium on
2005   Information and communication technologies
Publisher: Trinity College Dublin

Full text available: Pdf (496.30   Additional Information: full citation, abstract, references
KB)

Bibliometrics: Downloads (6 Weeks): 1,   Downloads (12 Months): 11,   Citation Count: 0

We present a new approach to sound compression, based on rough path theory,
which turns out to be more effective than the traditional Fourier and Wavelet
methods. We describe a procedure for encoding a signal using certain sequences of
iterated integrals ...

14 DCT-Based Image Compression Using Wavelet-Based Algorithm with Efficient
Deblocking Filter

Wen-Chien Yen, Shen-Chuan Tai
July   ICIS '05: Proceedings of the Fourth Annual ACIS International
2005   Conference on Computer and Information Science (ICIS'05) - Volume
          00,   Volume 00
Publisher: IEEE Computer Society

Full text available: Publisher   Additional Information: full citation, abstract, index terms
Site

Bibliometrics: Downloads (6 Weeks): n/a,   Downloads (12 Months): n/a,   Citation Count: 0

Discrete cosine transform (DCT) is widely used in many practical image/video
compression systems because of its compression performance and computational
efficiency. This work adopts DCT, and modified the SPIHT algorithm that designed
initially for encoding ...

15 Frequency domain normal map filtering

Charles Han, Bo Sun, Ravi Ramamoorthi, Eitan Grinspun
July   ACM Transactions on Graphics (TOG),   Volume 26 Issue 3
2007
Publisher: ACM

Full text available: Mov (25:25 MIN),   Pdf (7.61   Additional Information: full citation, abstract,
                                      MB)   references, index terms

Bibliometrics: Downloads (6 Weeks): 27,   Downloads (12 Months): 404,   Citation Count: 0

Filtering is critical for representing detail, such as color textures or normal maps,
across a variety of scales. While MIP-mapping texture maps is commonplace,
accurate normal map filtering remains a challenging problem because of
nonlinearities in ...

16 Frequency domain normal map filtering

Charles Han, Bo Sun, Ravi Ramamoorthi, Eitan Grinspun
August 2007 SIGGRAPH '07: ACM SIGGRAPH 2007 papers
Publisher: ACM

Full text available: Mov (25:25 MIN),   Pdf (7.61   Additional Information: full citation, abstract,
                                      MB)   references, index terms

Bibliometrics: Downloads (6 Weeks): 27,   Downloads (12 Months): 404,   Citation Count: 0

Filtering is critical for representing detail, such as color textures or normal maps,
across a variety of scales. While MIP-mapping texture maps is commonplace,
accurate normal map filtering remains a challenging problem because of
nonlinearities in ...

17 Optimal channel rate allocation for multimedia communication over fading
wireless channels

Nima Sarshar, Xiaolin Wu
October   WMuNeP '05: Proceedings of the 1st ACM workshop on Wireless
2005   multimedia networking and performance modeling
Publisher: ACM

Full text available: Pdf (204.16
                      KB)   Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 1,   Downloads (12 Months): 60,   Citation Count: 0

We consider the coding specifics of wireless broadcast terminals in hybrid multimedia
communication systems, those consisting of a set of wireless and wired clients. In
particular, we propose an information theoretically motivated framework for
optimal ...

Keywords: multi rate, source-channel coding, wireless

18 High dynamic range imaging

Paul Debevec, Erik Reinhard, Greg Ward, Sumanta Pattanaik
August 2004 SIGGRAPH '04: ACM SIGGRAPH 2004 Course Notes
Publisher: ACM

Full text available: Pdf (20.22 MB)   Additional Information: full citation, abstract

Bibliometrics: Downloads (6 Weeks): 81,   Downloads (12 Months): 790,   Citation Count: 0

Current display devices can display only a limited range of contrast and colors, which is one of the main reasons that most image acquisition, processing, and display techniques use no more than eight bits per color channel. This course outlines recent ...

19 When indexing equals compression: Experiments with compressing suffix arrays and applications

Luca Foschini, Roberto Grossi, Ankur Gupta, Jeffrey Scott Vitter
October 2006   ACM Transactions on Algorithms (TALG),   Volume 2 Issue 4
Publisher: ACM

Full text available: Pdf (351.20 KB)   Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 19,   Downloads (12 Months): 127,   Citation Count: 2

We report on a new experimental analysis of high-order entropy-compressed suffix arrays, which retains the theoretical performance of previous work and represents an improvement in practice. Our experiments indicate that the resulting text index offers ...

Keywords: Burrows--Wheeler Transform, Entropy, suffix array, text indexing

20 Adapting wavelet compression to human motion capture clips

Philippe Beaudoin, Pierre Poulin, Michiel van de Panne
May 2007 GI '07: Proceedings of Graphics Interface 2007
Publisher: ACM

Full text available: Pdf (451.15 KB)   Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 4,   Downloads (12 Months): 99,   Citation Count: 0

Motion capture data is an effective way of synthesizing human motion for many interactive applications, including games and simulations. A compact, easy-to-decode representation is needed for the motion data in order to support the real-time motion of ...

Keywords: IK correction, compression, skeletal animation, wavelet

The ACM

Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

Terms of Usage   Privacy Policy   Code of Ethics   Contact Us

Useful downloads: 📄 Adobe Acrobat   🔵 QuickTime   ▦ Windows Media Player   ▥ Real Player